	A	B	C	D	E	F	G	H	I	J	K
1	Code	#	Description	Toyota Part#	# Used	Diameter	Thread Pitch	Length	Washer 1	Washer2	Nut size
2	15	1	2F Alternator bracket mounting bolts (Engine Lift Hook)		3	10	1.25	30	split washer	flat	
3	15	2	Alternator Mounting Bracket to Block Bolts (1F Engine)		2	10	1.50	25	split washer	flat	
4	15	3	Bell Housing to Engine Block Bolts		4	12	1.75	30	split washer		
5	15	4	Crank Pulley Nut (FJ60)		1	22	1.50	35			
6	15	5	Engine Side Cover to Block bolts (13 of 15)		13	6	1.00	12	split washer		
7	15	6	Engine Side Cover to Block bolts (For Heater Hose Clamps.) (2 of 15)		2	6	1.00	25	split washer	flat	
8	15	7	Ignition Coil Mounting Bracket to Engine		2	8	1.25	16	split washer		
9	15	8	Distributor Hold Down clamp to Engine bolt		1	8	1.25	15	split washer		
10	15	9	Motor Mount Bracket (Front) to Isolator Bolts		2	12	1.25	25	split washer		
11	15	10	Motor Mount Bracket (rear) to Bell Housing Bolts		6	12	1.75	30	split washer		
12	15	11	Motor Mounts (front) to Motor Bolts		6	10	1.25	30	split washer	flat	
13	15	12	Oil Pan to Block bolts		22	8	1.25	18	split washer		
14	15	13	Power Steering Pump to mounting bracket		1	8	1.25	100	split washer	flat(2)	8mm
15	15	14	Starter Retaining Nut (Fits top Stud in Bell Housing)		1	12	1.25		split washer		17mm
16	15	15	Starter to Block bolt		1	12	1.75	25	split washer	flat	
17	15	16	Starter to Block Stud:		1	12	1.25				
18	15	17	Timing Cover to Block bolts (Long) (2 of 12)		2	6	1.00	16	split washer		
19	15	18	Timing Cover to Block bolts (Lower two Bolts) (2 of 12)		2	10	1.25	25			
20	25	19	Timing Cover to Block bolts (Short) (8 of 12)		8	6	1.00	8	split washer		
21	25	20	Oil Filter bracket to Intake Manifold		3	8	1.25	25	split washer		
22	50	21	Oil Pressure Regulator to Block Bolts		2	8	1.25	25	Captured split		
23	50	22	Fan Shroud to Radiator U Frame bolts		6	8	1.25	20	split washer	flat	
24	50	23	Fan/Fan Pulley to Water Pump		4	8	1.25	30	split washer		
25	50	24	Radiator U Frame top Cross member bolts		2	8	1.25	20	split washer	flat	
26	50	25	Radiator U Frame Welded on studs		2	8	1.25	25	split washer	flat	14mm
27	50	26	Radiator U Frame: Small front shroud to Radiator U Frame screws		6	5	0.80	10	split washer		
28	50	27	Thermostat housing (Lower) to block bolts		2	10	1.25	25	Captured split		
29	50	28	Thermostat housing (Top) to lower housing		2	8	1.25	45	split washer		
30	50	28	Valve Adjusting Nut		12	17	1.25				17mm
31	50	29	Water Pump to Block (F Engine) (1 of 5)		1	10	1.50	60	split washer		
32	75	30	Water Pump to Block (F Engine) (4 of 5)		4	10	1.50	35	split washer		
33	75	31	Carb base to Intake Manifold Stud nuts		4	8	1.25				12mm
34	75	32	Fuel Filler Neck to Body Bolts		3	6	1.00	12	split washer	flat	
35	75	33	Fuel Line Retaining Clip (metal) to Frame bolts		3	8	1.25	20	split washer		
36	75	34	Fuel Pump to Block bolts		2	8	1.25	30	split washer		
37	75	35	Gas Pedal assembly to body mounting bolts		2	6	1.00	16	split washer		
38	75	36	Gas Pedal: Accelerator Cable retainer to firewall		2	6	1.00	20	split washer		
39	75	37	Early Gas Tank Retaining straps to body bolts		4	6	1.00				
40	75	38	Later Gas Tank Cover (Protector) to floor Front two		2	6	1.00	20	Captured Split		
41	100	39	Later Gas Tank Cover (Protector) to floor Side two		2	6	1.00	20	Captured Split		
42	100	40	Bell Housing Vent to Bell Housing Bolts (Passenger Side Vent)		2	6	1.00	10	Captured split		
43	100	41	Clutch Arm Boot Retainer to Bell Housing Bolts (Drivers Side)		2	6	1.00	10	Captured split		
44	100	42	Clutch Cover to Flywheel bolts		6	8	1.25	25	split washer		
45	100	43	Clutch Pedal Pivot Bolt		1	10	1.25	80	split washer		
46	100	44	Clutch Slave Cylinder to Bell Housing		1	10	??				10mm
47	100	45	Clutch Slave Cylinder to transmission mount		1	10	1.25	55	split washer		
48	100	46	Clutch Slave Cylinder to transmission mount		1	10	1.50	55	split washer		10mm
49	150	47	Flywheel to Crank bolts		6	10	1.25	30			

	A	B	C	D	E	F	G	H	I	J	K
50	150	48	Transmission to Bell Housing bolts		4	12	1.25	35	split washer		
51	200	49	Transmission Bottom Flywheel Cover Bolts		6	6	1.00	8	split washer		
52	200	50	T-Case Front Extension Housing to T-case Bolts		5	8	1.25	25	Captured split		
53	200	51	T-Case Idler Gear/Selector Shaft Retainer Bolts		2	8	1.25	16	Captured split		
54	200	52	T-Case Output Shaft Cover to T-case housing bolts		6	10	1.25	20	split washer		
55	200	53	T-Case PTO Cover to T-Case Housing bolts		6	8	1.25	16	Captured split		
56	200	54	T-Case Rear Bearing Retainer nut		1	18	1.25				
57	200	55	T-Case Shift Shaft Housing to T-case Bolts		4	8	1.25	55	Captured Split		
58	200	56	T-case Shifter Lever Retaining Nut (4 Sp)		1	10	1.25			flat washer	17mm
59	200	57	T-Case Speedo Housing Speedo Gear Assembly Retaining bolt		1	8mm	1.25	12	split washer		
60	200	58	T-Case Speedometer Housing to T-Case Housing bolts (1 of 5)		1	8	1.25	45	split washer		
61	200	59	T-Case Speedometer Housing to T-Case Housing bolts (4 of 5)		4	8	1.25	25	split washer		
62	200	60	T-Case to Transmission Bolts (3 of 5)		3	12	1.25	120	split washer		
63	200	61	T-Case to Transmission Bolts (Under PTO Cover) (2 of 5)		2	12	1.25	40	split washer		
64	200	62	T-Case Top Shifter cover to T-Case Bolts		8	8	1.25	25	Captured split		
65	200	63	T-Case Vacuum Switch Hard Line Double Clip to Firewall Bolt		1	8	1.25	16	split washer		
66	200	64	T-Case Vacuum Switch Hard Line Single Clip to Firewall Bolt		1	6	1.00	16	SEMS		
67	200	65	Vacuum T-case shifter linkage pivot nuts		3	8	1.25		split washer		12mm
68	250	66	Vacuum T-case: Shifter Lever Pivot Assembly to Firewall Under Hood		2	6	1.00	20	split washer	flat	
69	300	67	Drive Shaft Bolts		8	10	1.25	30	split washer	flat	
70	300	68	Diff Third Member to Axle Housing nuts		20	10	1.25		split washer		14mm
71	300	69	Differential Cover to Differential Housing Nuts		10	10	1.25		split washer		14mm
72	400	70	Differential Housing Studs		30	10	1.25	37			
73	400	71	Knuckle Felt Cover Retainer bolts		16	6	1.00	12	split washer	flat	
74	400	72	Knuckle Housing Steering Stop Jam nut		4	12	1.25				17mm
75	400	73	Steering Center Arm Housing to Frame (2 of 4) Side Frame		2	10	1.25	30	split washer	flat	14mm
76	400	74	Steering Center Arm Housing to Frame Bolts (2 of 4) Cross Member		2	10	1.25	30	split washer		
77	400	75	Steering Column Bracket to under dash mounting bolts		2	8	1.25	30	captured flat		
78	400	76	Steering Column Lower Rubber Boot Retainer to firewall		5	6	1.00	20	split washer	flat	
79	400	77	Steering Stop to Knuckle Bolts		4	12	1.25	35			
80	500	78	Steering Wheel to Column Shaft Retainer nut		1	12	1.25				
81	500	79	Brake Line T junction to Axle Housing Bolt (Front Axle)		1	8	1.25	35	split washer	flat	12mm
82	500	80	Brake Line: Coiled line to Firewall Single clip		1	6	1.00	16	SEMS		
83	500	81	Brake Pedal Pivot Bolt		1	10	1.25	80	split washer		
84	500	82	Brake/Clutch Pedal Nylon Bearing		2						
85	500	83	Brake/Clutch Pedal Pivot metal Sleeve		1			1.975"			
86	500	84	Drum Brake Wheel Cylinder Adjuster Lock Spring Retainer Bolt		4	5	0.80	6	split washer		
87	500	85	Drum Brake Wheel Cylinder to Backing Plate Retaining Bolts		32	8	1.25	16	split washer		
88	500	86	Drum Brake Front: Backing Plate to knuckle retaining bolts		16	8	1.25	35	split washer		
89	500	87	Emergency Brake Bracket: Bottom to firewall		2	6	1.00	16	split washer	flat	
90	500	88	Emergency Brake Bracket: Top to dash		2	6	1.00	20	split washer	flat	10mm
91	500	89	Emergency Brake: Backing Plate to T-case bolts (3Sp ONLY)		4	8	1.25	20	split washer	flat	
92	500	90	Rear Drum Brake Backing Plate to Axle Flange Retaining Bolts		12	12	1.25	25	split washer		
93	500	91	Rear Drum Brake Backing Plate to Axle Tube Retaining Nuts		12	12	1.25		split washer		17mm
94	600	92	Front Brake Hard line bracket to frame bolt		1	8	1.25	20	split washer	flat	
95	600	93	Alternator Case Bolts (Holds Housing Halves together)		3	5	0.80	75	split washer		
96	600	94	Alternator Front Housing Bearing Plate Retainer		3	5	0.80	15	split washer		
97	600	95	Dimmer Switch to Body Bolts		2	6	1.00	16	split washer	flat	
98	600	96	Dimmer Switch Wire retaining screws		3	4	0.70	8			

	A	B	C	D	E	F	G	H	I	J	K
99	600	97	Flasher Relay to firewall mounting bolts		2	6	1.00	16	split washer	flat	
100	600	98	Fuse Block mounting bolts		2	6	1.00	12	split washer	flat	
101	600	99	Horn assembly bolts, early version (holds horn halves together)		12	4	0.70	10			
102	600	100	Ignition Coil Clamp Nut		1	5	0.80				
103	600	101	Ignition Coil Clamp Screw		1	5	0.80	45			
104	600	102	Ignition Coil Mounting Bracket to Head Bolts		2	8	1.25	16	Captured split		
105	600	103	Ignition Coil Stud Nuts for wires		2	5	0.80		split washer	flat	8mm
106	600	104	Regulator to firewall bolts 1969 and up		2	6	1.00				
107	600	105	Regulator to firewall bolts 1968 and back		2	5	0.80				
108	700	106	Power Outlet mounting screws		2	4	0.70	20	internal toothed lock washer		
109	700	107	Headlamp Body to Headlamp Housing Ring Screws		4	5	0.80	12	split washer		
110	700	108	Bib Studs to hold Radiator Protective Mesh		4	6	1.00	15	split washer	flat	6mm
111	700	109	Nuts for mounting Radiator Protective Mesh		4	6	1.00		split washer	flat	10mm
112	700	110	Body Mount bolts		12	10	1.25	50	split washer	flat	
113	700	111	1979 Body Mount Bolts		2	10	1.50	80	split washer	Flat	
114	700	112	1979 Body Mount Bolts		4	10	1.50	55	split washer	Flat	
115	700	113	Body: Turn Signal Hollow Mounting Studs		2	12	1.50	60	split washer		17mm
116	700	114	Cowl Vent lift sleeve anchor screws		4	6	1.00	12	split washer	flat	
117	700	115	Cowl Vent pop-up cover mount Nuts		2	4	0.70		split washer	flat	7mm
118	700	116	Dash: Gauge Cluster Screws		2	6	1.00	8			
119	700	117	Dash: Plastic cone sleeves to line holes in top dash vinyl		5						
120	700	118	Dash: Vinyl Dash Top to dash screws		5	5	0.80	15			
121	700	119	Door Hinge to Body Bolts		16	8	1.25	20	Captured split	flat	
122	700	120	Door Hinge to Door Bolts		12	8	1.25	20	Internal tooth		
123	700	121	Fender Apron to Bib Bolts		4	6	1.00	16	split washer	flat	
124	700	122	Fender Apron to Fender bolts		4	6	1.00	16	split washer	flat	
125	700	123	Fender Support to Frame Bolts		8	8	1.25	25	split washer		
126	700	124	Nut that holds Pull cables to dash		3	11	1.25				
127	700	125	Glove Box Knob		1	4	0.70	20	split washer	flat	7mm
128	700	126	Glove Box Door Limit strap (wire) rope) Mounting		2	5	0.80	10	split washer		8mm
129	700	127	Glove Box Door to Dash Mounting Screws		3	5		10	split washer	flat	
130	700	128	Glove Box Door: Gear Shift Plate		4	3	0.50	8	split washer	flat	5.5mm
131	700	129	Heater: Front Blower Assembly to Firewall Bolts		4	8	1.25	25	split washer		
132	700	130	Heater: Rear Heater Assembly to Body Bolts		2	8	1.25	20	split washer	flat	
133	700	131	Heater: Under Dash Heater Core Box to body		4	8	1.25	25	split washer	flat	
134	700	132	Heater: Fresh air inlet, Body side vent cover		6	5	0.80	10	n/a		
135	700	133	Sun Visor to Windshield Screw		4	6	1.00	10			
136	700	134	Seat Belt Anchor to Body Bolts		4	11	1.25	25	split washer	flat	
137	700	135	Seat Frame: Drivers Rear Hinge to Body Bolts		4	8	1.25	20	split washer	flat	
138	700	136	Seat Frame: Passenger to Body Bolts		4	8	1.25	20	split washer	flat	
139	700	137	Soft Top Bow Bracket (2 brackets) to Wheel Well		4	8	1.25	20	split washer	flat	
140	700	138	Soft Top Bow Brackets: rear bracket to Tub rail (2 Brackets)		4	6	1.00	20	split washer	flat	
141	700	139	Spare Tire Carrier Hinges to body		8	8	1.25	30	split washer	flat	
142	700	140	Tool Box Jack Holder Mount		2	6	1.00	16	split washer	flat	
143	700	141	Transmission Tunnel Cover to floor bolts	Weld nut for tr	16	6	1.00	20	split washer	flat	
144	700	142	Wiper Motor Cover to Windshield screws Pre 12/1976		4	6	1.00	14	split washer	flat	
145	700	143	Wiper Motor Cover to Windshield screws After 12/1976		4	5	0.80	14	split washer	flat	
146	710	144	Weld Nut assembly that #134 screws into		16	6	1.00				

	A	B	C	D	E	F	G	H	I	J	K
147	710	145	Bezel to Bib (DO NOT MOUNT BEZEL UPSIDE DOWN!!!)		4	6	1.00	25		flat	
148	715	146	Bezel to Bib rubber spacers		4						
149	715	147	Hood Chrome Ornament to Hood Nuts (For Split Hoods)		3	6	1.00		split washer	flat	6mm
150	715	148	Hood Hinge Nuts		12	6	1.00		split washer	flat	6mm
151	715	149	Hood Hinge to Hood Screws		12	6	1.00	12	split washer	flat	10mm
152	725	150	Hood Hold Down Hooks to Hood bolts		4	6	1.00	20	split washer	flat	
153	725	151	Windshield Hinge to Windshield/body frame Screws		16	8	1.25	16	Cone Star Washer		
154	725	152	Windshield Hold Down Hooks to Hood Bolts		4	6	1.00	12	split washer	flat	
155	725	153	Windshield knobs. Studs molded into knob.		2	8	1.25	70			
156	750	154	Windshield: Rubber Hood Rests to Hood nuts		4	8	1.25		split washer	flat	8mm
157	750	155	Hard top: Door Bows above front doors		8	6	1.00	12	split washer	flat	
158	750	156	Hard top: Fiberglass top to Side Panels		24	6	1.00	16	split washer	flat	
159	750	157	Hard top: Lift Gate Cross Member to Side Panels		4	8	1.25	16	Captured split	flat	
160	750	158	Hard top: Side Panels to Tub rail		12	6	1.00	20	split washer	flat	
161	750	159	Lift Gate: Hinge to Lift Gate bolts		6	8	1.25	20	split washer	flat	
162	775	160	Lift Gate: Lift tube bottom support anchors to hard top sides		4	6	1.00	16	split washer	flat	
163	775	161	Drop Tailgate: Gate Latch Hook to body		4	8	1.25	30	split washer	flat	
164	775	162	Drop Tailgate: Gate Latch to Tailgate		6	6	1.00	20	split washer	flat	
165	775	163	Drop Tailgate: Hinge to Body and Gate		12	8	1.25	30	split washer	flat	
166	775	164	Drop Tailgate: License Plate Holder bottom		2	8	1.25	30	split washer	flat	
167	775	165	Drop Tailgate: License Plate Holder top		2	6	1.00	20	split washer	flat	
168	775	163	Ambi Door: License Plate Holder Bolts (Later style, holds plate to holder)		2	6	1.00	16	split washer	flat	
169	775	164	Ambulance Door to Hinge and Hinge to Body		28	6	1.00	16	Captured Split	flat	
170	775	165	Ambulance Door Corner Brackets to Body		8	6	1.00	20	Captured Split	Flat	
171	775	166	Ambulance Door Upper and lower door strikers		8	6	1.00	16	Captured Split	Flat	
172	800	167	Front Shock to Shock Tower Retaining Nuts		4	11	1.25			flat	14mm
173	800	168	Front Spring Pin Retainer to Frame bolts		4	8	1.25	20	split washer		
174	800	169	Rear Shock to (Lower) Axle Shock Stud Retaining Nut		2	12	1.50			flat	17mm
175	800	170	Rear Shock to (Upper) Frame Crossmember Shock Mount Stud		2	12	1.25			flat	17mm
176	800	171	OEM!!! Shackle Nuts		16	12	1.50				17mm
177	800	172	Knuckle Studs E-79		8	11mm	1.25	?	Cone Washer		
178	800	173	Knuckle Studs 79-97		8	12mm	1.25	?	Cone Washer		
179	900	174	Front Bumper to Frame carriage bolt		4	10	1.25	25	split washer		
180	900	175	Front Bumper Support (Triangular) to Frame Bolts (Small Front ones)		2	8	1.25	20	split washer	flat	
181	900	176	Rear Bumperette Bolts to rear crossmember		4	8	1.25	30	split washer	Flat	
182	900	177	1974 and later Tail light housing to bumper bolts		4	5	0.80	20	Captured Split		
183	900	178	Early Tail Light mounting Bracket to Frame Bolts		4	8	1.25	20	Captured Split	Flat	
184	900	179	Battery Tray to pedastal mount		4	8	1.25	20	split washer		
185	900	180	Bib Hinge to Frame Mounting Bolts		2	8	1.25	30	split washer	flat	
186	900	181	Bib Hinge to Bib Mounting Bolts		2	8	1.25	20	Captured Flat		
187	900	182	Splash Guard: Engine Front guard to Frame Bolts		2	6	1.00	16	Captured split	flat	
188	950	183	Splash Guard: Front Inspection Cover to Engine Splash Guard		4	5		15	split washer		
189	950	184	Exhaust/Intake Studs in Head. Center 6		6	10	1.25	35		3mm thick	Brass 10mm
190	950	185	Exhaust/Intake Studs in Head. Outer two		2	12/10mm	1.25	35		3mm thick	Brass 10mm
191	950	186	1981 2F Exhaust/Intake Center two Studs		2	12	1.25	40			
192	950	187	1981 2F Exhaust/Intake Outside two Bolts		2	10	1.25	35			
193	950	188	1981 2F Exhaust/Intake Manifold Bolts		4	12	1.25	35			
194											
195	Code		Description								

	A	B	C	D	E	F	G	H	I	J	K
196	15		Engine and Engine bolt ons								
197	25		Oiling System								
198	50		Cooling System								
199	75		Fuel System								
200	100		Clutch System (Bell Housing/Clutch/Master and Slave								
201	150		Transmission								
202	200		Transfer Case								
203	250		Propellor Shafts								
204	300		Axles								
205	350		Rear Axle								
206	400		Steering								
207	500		Brakes								
208	600		Electrical								
209	700		Body								
210	710		Bib								
211	715		Hood								
212	725		WindShield								
213	750		Hard Top								
214	775		Tailgate/Barn/Ambulance doors								
215	800		Suspension								
216	900		Frame								
217	950		Intake/Exhaust								
218											

	L	M	N	O	P	Q
1	Class	Notes 1	Notes 2			
2	4	14mm head if JIS but 17mm fits				
3	8.8	14mm Head				
4	5	17mm head. 19mm will NOT fit!				
5	N/A	45 mm head (Crank threads are 25mm long)				
6	4	10mm head JIS or DIN				
7	4	10mm head JIS or DIN				
8		12mm head JIS				
9		12mm head	For 2F Engines			
10	4	17mm head but 19mm will fit				
11	5	17mm head. 19mm will NOT fit!				
12	7	10mm shoulder. 14mm head.	10mm from '58-12/'74.... 12mm 1/'75- 8/'87!!!			
13	4	12mm hex AND phillips head. 13mm hex will fit				
14	4	14mm Head				
15	N/A					
16		17mm head				
17	N/A	27mm long 10mm of 1.75 pitch threads on one side and 15mm of 1.25 threads on the other				
18	4	10mm head				
19	5	5mm shoulder. 14mm head				
20	4	10mm head				
21	4	12mm head if JIS but 13mm fits				
22	4	12mm head if JIS but 13mm fits				
23						
24	4	12mm head if JIS but 13mm head fits				
25						
26	N/A					
27	N/A	JIS #2 Phillips head				
28	4	14mm head				
29	4	12mm shoulder. 12mm Head				
30		Note: 4/79 amd later 2F's they went to a 14mm nut!				
31	5	35mm shoulder. 14mm head				
32	5	10mm Shoulder. 14mm head				
33	N/A	12mm head ONLY! 13mm will NOT fit				
34	4	10mm head JIS or DIN				
35	4	5mm shoulder. 12mm head if JIS but 13mm fits.				
36	8.8	12mm head if JIS but 13mm head fits				
37	4	10mm head JIS or DIN				
38	4	10mm head JIS or DIN				
39						
40		10mm head				
41		10mm Head				
42	4	10mm head				
43	4	10mm head				
44	4	4mm shoulder. 14mm head				
45		60mm shoulder, 0.485 diameter, 12mm head				
46		10mm thick nut				
47	5	35mm Shoulder. 14mm head				
48	4	25mm Shoulder. 14mm head				
49	N/M	10mm shoulder. 20 mm threads. 17mm head				

	L	M	N	O	P	Q
50	6	17mm head.				
51		10mm head				
52	4	4mm Shoulder. 12mm head if JIS but 13mm fits				
53	4	4mm Shoulder. 12mm head if JIS but 13mm fits				
54	4	14mm head				
55	4	5mm shoulder. 12mm head if JIS but 13mm fits				
56	N/A	32mm Head. 10mm thick				
57	4	25mm Shoulder. 12mm head if JIS but 13mm fits				
58	N/A	17mm Head but 19mm will fit				
59	4	12mm head but 13mm fits				
60	4	15mm shoulder. 12mm head if JIS but 13 mm fits				
61	4	4mm Shoulder. 12mm head if JIS but 13mm fits				
62	N/M	90mm shoulder. 17mm head				
63	6	8mm shoulder.17mm head. 32mm thread				
64	4	4mm Shoulder. 12mm head if JIS but 13mm fits				
65	4	10mm head JIS or DIN				
66	4	10mm Head SEMS Bolt				
67	N/A	12mm head if JIS but 13mm head fits				
68		10mm head JIS or DIN				
69		10mm shoulder. Grade 10.9				
70	N/A	14mm head				
71	N/A	14mm head				
72	?	16mm of threads, a 11mm Shoulder then 10mm threads				
73	4	10 mm head JIS or DIN				
74	N/A					
75	8.8	14mm head				
76	8.8	14mm flange head				
77	4	12mm head if JIS but 13mm head fits				
78	4	10mm head JIS or DIN				
79	N/M	14mm Domed head uses jam nut.				
80	N/A	Need thin nut				
81		12mm head if JIS but 13mm head fits. 12mm nut				
82	4	10mm Head SEMS Bolt				
83		60mm shoulder, 0.485 diameter, 12mm head				
84	N/A	Nylon "Bearing"				
85	N/A	0.51 diameter, 0.397 inside diameter x 1.975 length				
86	N/A	Straight Blade head				
87	5	12mm head if JIS but 13mm fits				
88		12mm head if JIS but 13mm fits Drilled heads for safety wire				
89		10mm head JIS or DIN				
90		10mm head JIS or DIN				
91		12mm head if JIS but 13mm fits (4 sp has 3 20mm and 1 16mm)				
92	N/A	OEM is a special Head but a 14mm hex head could be made to fit				
93	N/A					
94		12mm head if JIS but 13mm fits				
95	N/A	58mm Shoulder. JIS #2 Phillips Head				
96	N/A	JIS #2 Phillips Head				
97		10mm head JIS or DIN				
98		JIS #2 Phillips				

	L	M	N	O	P	Q
99		10mm head JIS or DIN				
100		10mm head JIS or DIN				
101	N/A	#2 JIS Phillips head				
102	N/A	Nut is 10mm x 10mm square				
103	N/A	25mm shoulder #2 JIS Phillips head				
104	4	12mm head if JIS but 13mm fits				
105	N/A	Use brass nuts!				
106		10mm head JIS or DIN				
107						
108	N/A	JIS Phillips head				
109		#2 JIS Phillips head				
110	N/A					
111		Nuts with 10mm heads				
112	5	23mm shoulder. OEM ground to point				
113		bottom is tapered				
114		bottom is tapered				
115		OEM has square end that locks into plastic housing				
116	N/A	#2 JIS Phillips head				
117	N/A	7mm nuts				
118	N/A	#2 JIS Phillips head PAN head				
119	N/A					
120	N/A	JIS #2 Phillips head				
121	5	12mm head if JIS but 13mm fits				
122	4	12mm head if JIS but 13mm fits				
123	4	10mm head JIS or DIN				
124	4	10mm head JIS or DIN				
125	4	12mm Head if JIS but 13mm fits				
126		17mm, threads are the same as a driveshaft nut!!!				
127	N/A	stud molded into knob				
128	N/A					
129	N/A	Phillips Head Sheet Metal Screws				
130	N/A					
131	4	5mm shoulder. 12mm head if JIS but 13mm head fits				
132	4	12mm head if JIS but 13mm fits				
133	4	12mm head if JIS but 13mm head fits				
134		JIS #2 Phillips flat head				
135		Oval head screw				
136		5mm shoulder. 17mm head	*** Under investigation but a 7/16" UF seems to be th			
137		12mm head if JIS but 13mm fits				
138		12mm head if JIS but 13mm fits				
139		12mm head if JIS but 13mm head fits				
140	4	10mm head JIS or DIN				
141		12mm head if JIS but 13mm head fits				
142	4	10mm head JIS or DIN				
143	4	10mm head JIS or DIN				
144		#2 JIS Phillips head				
145		#2 JIS Phillips Head				
146		M6 x 1.0 plain steel 1/2" W x 1-1/2" L x x11/32" H McMaster Carr P/N 90955A101				

	L	M	N	O	P	Q
147		Metric Phillips head use with rubber spacers				
148		.560L x .490OD x .235 ID (1/4" fuel line works!)				
149	N/A	Studs are captured in Ornament. 10mm head				
150	N/A	10mm head				
151	N/A	Pan head Phillips screw				
152	4	10mm head JIS or DIN				
153	N/A	Flat head Phillips screw				
154	N/A	#2 JIS Phillips head				
155	N/A	40mm shoulder. Knob is 50mm in diameter				
156	N/A	12mm head if JIS but 13mm fits				
157	N/A	JIS Phillips head				
158	4	10mm head JIS or DIN				
159	4	12mm head if JIS but 13mm fits				
160	4	10mm head JIS or DIN				
161	4	12mm head if JIS but 13mm head fits				
162	N/A	#2 JIS Phillips head				
163		12mm head if JIS but 13mm head fits				
164		10mm head JIS or DIN				
165		12mm head if JIS but 13mm head fits				
166		12mm head if JIS but 13mm head fits				
167		10mm head JIS or DIN				
168		Pan head Phillips screw				
169		Pan head Phillips screw				
170		Pan head Phillips screw				
171		Pan head Phillips screw				
172	N/A	14mm head				
173		12mm head if JIS but 13mm fits				
174	N/A	17mm head (A lug nut will work in a pinch)				
175	N/A	17mm Head				
176		17mm				
177		Dual size stud: 11mm x 1.50 x ??mm in knuckle 11mm x 1.25 x ??mm for nut				
178		Dual size stud: 12mm x 1.50 x ??mm in knuckle 12mm x 1.25 x ??mm for nut				
179		Dome head carriage bolt!				
180		12mm head if JIS but 13mm fits				
181		12mm head if JIS but 13mm fits				
182		10mm head				
183		12mm head if JIS but 13mm fits				
184	4	12mm head if JIS but 13mm head fits				
185		15mm shoulder 12mm bolt head				
186						
187		10mm Head				
188	N/A	Phillips Head Sheet Metal Screws				
189	N/A	10mm Studs 15 mm in head 20mm for intake/exhaust				
190	N/A	Dual size stud: 12mm x 1.25 x 12mm in head 10mm x 1.25 x				
191						
192						
193						
194						
195						

	L	M	N	O	P	Q
196						
197						
198						
199						
200						
201						
202						
203						
204						
205						
206						
207						
208						
209						
210						
211						
212						
213						
214						
215						
216						
217						
218						